STERLING PRO

SPANNERS DIY TOOLS

STERLING EXPERT



SPANNERS | PLIERS | PINCERS | GARAGE TOOLS

STERLING CAST & FORGE (INDIA)

AN ISO 9001-2008 CERTIFIED COMPANY

PAST PRESENT
... and future

STERLING CAST & FORGE began its journey as SPANNERS & DIY Tools maker in early 1980's in Jalandhar City, Punjab (INDIA). Through our consistent growrth & development, we are now an Established Manufacturing & Export Unit with Years of Experience behind us. We are family run and owned business company, with our third generation into the business. We are very proud of our reputation to provide with Quality Tools, Service and Value to our customers at the mose reasonable prices.

OUR GLOBAL PRESENCE

TURKEY | POLAND | U.K. | U.A.E. | EGYPT | TANZANIA | BANGKOK

Assuring quality standards & knowing how to meet or exceed the standards wherever necessary.

CERTIFIED ISO 9001:2008 COMPANY

DIN

TÜV Rheinland Product Safety

GS geprüfte Sicherheit

MACHINERY & PROCESSING

- 4 drop forged hammers
- 2 press forging machines for lug wrenches (automotive tools)
- CNC machinery, CAD CAM systems
- Automatic polishinng for head, panel & ring of Spanners
- Automatic polishing machines for spanners profile
- Heat treatment machines for hardening & tempering
- Powder coating, electroplating, phosphating in house.
- In house torque testing, hardness facility









Production Department

Mr. Subhash Chander
Director Production

(M) : +91 98 14 001192
(E) : sterling.subhash@gmail.com

Sales & Marketing Department

Mr. Kanav Shoor
Director Sales & Marketing

(M) : +91 98 15 500192
(E) : sales@sterlingtools.co.in
mail.scf@gmail.com

COMBINATION OPEN & BOX END SPANNERS

LONG PATTERN

DIN 3113

CHROME VANADIUM STEEL



EACH HEAD SET AT 15° ANGLE

SIZE			
MM	SAE	WT./Kg	Pcs./Ctn.
6	1/4	0.017	500
7		0.023	500
8	5/16	0.030	500
9		0.032	500
10	3/8	0.036	500
11	7/16	0.046	400
12		0.052	300
13	1/2	0.065	250
14	9/16	0.076	250
15		0.092	200
16	5/8	0.105	200
17	11/16	0.115	100
18		0.138	100
19	3/4	0.144	100
20		0.170	100
21	13/16	0.191	100
22	7/8	0.225	100
23		0.248	100
24	15/16	0.270	80
25	1"	0.286	60
26		0.314	60
27	1_1/16	0.360	60
28	1_1/8	0.380	40
30		0.460	40
32	1_1/4	0.570	40

SAE METRIC

BUYER BRANDING


Standard Sets Metric Sizes			
Set/Pcs.	Sizes	WT./Kg	Set/Ctn.
6	8,10,12,13,14,17	0.374	40
8	8-11,13,14,17,19	0.544	30
12	6-14,17,19,22	0.861	20
24	6-24,36,37,38,30,32	4.150	4
25	6-28,30,32	4.445	4

● Sets Customized As Per Clients Specifications

COMBINATION OPEN & BOX END SPANNERS

RAISED PANEL

CARBON STEEL



EACH HEAD SET AT 15° ANGLE

SIZE			
MM	SAE	WT./Kg	Pcs./Ctn.
6	1/4	0.016	500
7		0.020	500
8	5/16	0.028	500
9		0.030	500
10	3/8	0.040	500
11	7/16	0.043	400
12		0.054	300
13	1/2	0.065	250
14	9/16	0.080	250
15		0.090	200
16	5/8	0.100	200
17	11/16	0.135	100
18		0.150	100
19	3/4	0.160	100
20		0.170	100
21	13/16	0.190	100
22	7/8	0.215	100
23		0.225	100
24	15/16	0.260	80
25	1"	0.270	60
26		0.300	60
27	1_1/16	0.350	60
28	1_1/8	0.400	40
30		0.525	40
32	1_1/4	0.620	40

SAE METRIC

BUYER BRANDING

Standard Sets Metric Sizes			
Set/Pcs.	Sizes	WT./Kg	Set/Ctn.
6	8,10,12,13,14,17	0.402	40
8	8-11,13,14,17,19	0.578	30
12	6-14,17,19,22	0.886	20
25	6-28,30,32	4.536	4

● Sets Customized As Per Clients Specifications

COMBINATION OPEN & BOX END SPANNERS

ELLIPTICAL FULLY POLISHED

DIN 3113

CHROME VANADIUM STEEL



EACH HEAD SET AT 15° ANGLE

SIZE			
MM	SAE	WT./Kg	Pcs./Ctn.
6	1/4	0.018	1000
7		0.022	1000
8	5/16	0.026	1000
9		0.030	800
10	3/8	0.042	600
11	7/16	0.052	500
12		0.060	500
13	1/2	0.072	400
14	9/16	0.086	300
15		0.092	250
16	5/8	0.109	250
17	11/16	0.132	200
18		0.152	160
19	3/4	0.160	150
20		0.182	120
21	13/16	0.192	100
22	7/8	0.210	100
23		0.250	100
24	15/16	0.260	80
25	1"	0.300	80
26		0.320	80
27	1_1/16	0.390	60
28	1_1/8	0.435	60
29		0.435	50
30		0.460	40
32	1_1/4	0.560	40



SATIN FINISH



DIP INSULATED

Standard Sets Metric Sizes			
Set/Pcs.	Sizes	WT./Kg	Set/Ctn.
6	8,10,12,13,14,17	0.418	40
8	8-11,13,14,17,19	0.600	30
12	6-14,17,19,22	0.910	15
14	8-17,19,21,22,24	1.523	12
25	6-28,30,32	4.612	4

SAE METRIC

BUYER BRANDING

● Sets Customized As Per Clients Specifications

STERLING PRO

SPANNERS DIY TOOLS

COMBINATION OPEN & BOX END SPANNERS

PRESSED PANEL (COLD STAMPED) **DIN 3113** CHROME VANADIUM STEEL




EACH HEAD SET AT 15° ANGLE



SATIN FINISH

STAMP DESIGN'S



SIZE			
MM	SAE	WT./Kg	Pcs./Ctn.
6	1/4	0.018	1000
7		0.022	1000
8	5/16	0.026	1000
9		0.030	800
10	3/8	0.042	600
11	7/16	0.052	500
12		0.060	500
13	1/2	0.072	400
14	9/16	0.086	300
15		0.092	250
16	5/8	0.109	250
17	11/16	0.132	200
18		0.152	160
19	3/4	0.160	150
20		0.182	120
21	13/16	0.192	100
22	7/8	0.210	100
23		0.250	100
24	15/16	0.260	80
25	1"	0.300	80
26		0.320	80
27	1_1/16	0.390	60
28	1_1/8	0.435	60
29		0.435	50
30		0.460	40
32	1_1/4	0.560	40

Standard Sets Metric Sizes			
Set/Pcs.	Sizes	WT./Kg	Set/Ctn.
6	8,10,12,13,14,17	0.418	40
8	8-11,13,14,17,19	0.600	30
12	6-14,17,19,22	0.910	15
14	8-17,19,21,22,24	1.523	12
25	6-28,30,32	4.612	4

SAE METRIC

BUYER BRANDING

- Sets Customized As Per Clients Specifications

COMBINATION OPEN & BOX END SPANNERS

PRESSED PANEL (COLD STAMPED)

CHROME VANADIUM STEEL

DIN 3113



EACH HEAD SET AT 15° ANGLE

SIZE			
MM	SAE	WT./Kg	Pcs./Ctn.
6	1/4	0.020	500
7		0.022	500
8	5/16	0.025	500
9		0.030	500
10	3/8	0.040	500
11	7/16	0.045	400
12		0.050	300
13	1/2	0.060	250
14	9/16	0.075	250
15		0.090	200
16	5/8	0.100	200
17	11/16	0.120	100
18		0.120	100
19	3/4	0.160	100
20		0.170	100
21	13/16	0.185	100
22	7/8	0.215	100
23		0.255	100
24	15/16	0.285	80
25	1"	0.345	60
26		0.345	60
27	1_1/16	0.425	60
28	1_1/8	0.460	40
29			
30		0.540	40
32	1_1/4	0.560	40

ANTI SKID PANEL

SAE

METRIC

BUYER BRANDING

Standard Sets Metric Sizes			
Set/Pcs.	Sizes	WT./Kg	Set/Ctn.
6	8,10,12,13,14,17	0.418	40
8	8-11,13,14,17,19	0.600	30
12	6-14,17,19,22	0.910	15
14	8-17,19,21,22,24	1.523	12
25	6-28,30,32	4.612	4

- Sets Customized As Per Clients Specifications

DOUBLE OPEN END SPANNER

LONG PATTERN

DIN 3110

CHROME VANADIUM STEEL



EACH HEAD SET AT 15° ANGLE

SIZE			
MM	SAE	WT./Kg	Pcs./Ctn.
6x7	1/4 x 5/16	0.023	800
8x9	5/16 x 11/32	0.032	600
10x11	3/8 x 7/16	0.050	400
12x13	7/16 x 1/2	0.062	300
14x15	1/2 x 9/16	0.080	200
16x17	11/16 x 19/32	0.110	160
18x19	3/4 x 7/8	0.150	120
20x22	13/16 x 7/8	0.200	100
21x23	15/16 x 7/8	0.230	80
24x27	15/16 x 1"	0.275	60
25x28	1" x 1-1/8	0.345	40
30x32	1-3/16 x 1-1/4	0.450	40

SAE METRIC

BUYER BRANDING

Standard Sets Metric Sizes			
Set/Pcs.	Sizes	WT./Kg	Set/Ctn.
6	6x7,8x9,10x11,12x13,14x15,16x17	0.357	40
8	6x7,8x9,10x11,12x13,14x15,16x17,18x19,20x22	0.707	30
12	6x7,8x9,10x11,12x13,14x15,16x17,18x19,20x22,	2.007	10
	21x23,24x27,25x28,30x32		

- Sets Customized As Per Clients Specifications

DOUBLE OPEN END SPANNERS

ELLIPTICAL
FULLY POLISHED

DIN 3110

CHROME VANADIUM STEEL



EACH HEAD SET AT 15° ANGLE

SIZE MM	WT./Kg	Pcs./Ctn.
6 x 7	0.024	800
8 x 9	0.032	600
10 x 11	0.055	400
12 x 13	0.076	300
14 x 15	0.112	200
16 x 17	0.130	160
18 x 19	0.165	120
20 x 22	0.210	100
21 x 23	0.240	80
24 x 27	0.315	60
25 x 28	0.360	40
30 x 32	0.485	40
8x10	0.032	800
10x12	0.053	400
10x13	0.053	400
11x13	0.076	300
12x14	0.076	300
13x17	0.120	160
14x17	0.120	160
17x19	0.165	120
19x22	0.210	100
22x24	0.240	80
24x26	0.315	60
27x32	0.485	40



SATIN FINISH



DIP INSULATED

BUYER BRANDING

Standard Sets Metric Sizes			
Set/Pcs.	Sizes	WT./Kg	Set/Ctn.
6	6x7-16x17	0.430	60
8	6x7-20x22	0.804	30
12	6x7-30x32	2.204	12

● Sets Customized As Per Clients Specifications

DOUBLE OPEN END SPANNERS

PRESSED PANEL
(COLD STAMPED)

DIN 3110

CHROME VANADIUM STEEL



EACH HEAD SET AT 15° ANGLE



SATIN FINISH

STAMP DESIGN'S



SIZE MM	WT./Kg	Pcs./Ctn.
6 x 7	0.024	800
8 x 9	0.032	600
10 x 11	0.055	400
12 x 13	0.076	300
14 x 15	0.112	200
16 x 17	0.130	160
18 x 19	0.165	120
20 x 22	0.210	100
21 x 23	0.240	80
24 x 27	0.315	60
25 x 28	0.360	40
30 x 32	0.485	40
8x10	0.032	800
10x12	0.053	400
10x13	0.053	400
11x13	0.076	300
12x14	0.076	300
13x17	0.120	160
14x17	0.120	160
17x19	0.165	120
19x22	0.210	100
22x24	0.240	80
24x26	0.315	60
27x32	0.485	40

Standard Sets Metric Sizes			
Set/Pcs.	Sizes	WT./Kg	Set/Ctn.
6	6x7-16x17	0.430	60
8	6x7-20x22	0.804	30
12	6x7-30x32	2.204	12

- Sets Customized As Per Clients Specifications

BUYER BRANDING

DOUBLE OPEN END SPANNER

DIN 895

CHROME VANADIUM STEEL



SIZE MM	WT./Kg	Pcs./Ctn.
6x7	0.0156	800
8x9	0.0208	600
8x10	0.0256	600
9x10	0.0286	600
10x11	0.0290	400
10x12	0.0460	400
10x13	0.0400	400
12x13	0.0463	300
12x14	0.0463	300
13x15	0.0563	300
14x15	0.0580	200
13x17	0.0670	200
14x17	0.0700	200
16x17	0.0775	160
16x18	0.0787	160
17x19	0.1025	160
18x19	0.1033	120
17x22	0.1283	120

SIZE MM	WT./Kg	Pcs./Ctn.
18x21	0.1133	120
19x22	0.1333	120
19x24	0.1741	120
20x22	0.1440	100
21x23	0.1700	80
22x24	0.1887	80
24x27	0.2383	60
24x30	0.2950	60
25x28	0.2875	40
27x30	0.3225	40
27x32	0.3525	40
30x32	0.3975	40
30x36	0.4925	40
32x36	0.5000	30
36x41	0.7266	30
41x46	0.960	20
46x50	1.1235	20

SINGLE OPEN END SPANNER

DIN 894

Chrome Vanadium Steel



SIZE MM	WT./Kg	Pcs./Ctn.
6	0.0083	1500
7	0.0113	1500
8	0.0143	1500
9	0.0174	1200
10	0.0205	1000
11	0.0256	800
12	0.0306	800
13	0.0380	600
14	0.0460	500
15	0.0512	400
16	0.0547	400
17	0.0666	300
18	0.0716	300

SIZE MM	WT./Kg	Pcs./Ctn.
19	0.0820	240
22	0.1125	200
24	0.1480	150
27	0.2050	100
30	0.2762	80
32	0.3185	60
34	0.3683	60
36	0.4325	40
41	0.5875	40
46	0.7366	30
50	0.9850	20
55	1.0250	20

BI-HEXAGONAL RING SPANNER

RECESSED PANEL

Carbon Steel



SIZE			
MM	SAE	WT./Kg	Pcs./Ctn.
6x7	1/4 x 5/16	0.057	400
8x9	5/16 x 11/32	0.071	300
10x11	3/8 x 7/16	0.089	240
12x13	7/16 x 1/2	0.116	200
14x15	1/2 x 9/16	0.142	160
16x17	11/16 x 19/32	0.156	120
18x19	11/16 x 3/4	0.225	80
20x22	3/4 x 7/8	0.295	80
21x23	13/16 x 7/8	0.342	60
24x27	15/16 x 1"	0.417	60
25x28	1" x 1-1/8	0.425	40
30x32	1-3/16 x 1-1/4	0.463	40

SAE METRIC

BUYER BRANDING

Standard Sets Metric Sizes			
Set/Pcs.	Sizes	WT./Kg	Set/Ctn.
6	6x7,8x9,10x11,12x13,14x15,16x17	0.631	30
8	6x7,8x9,10x11,12x13,14x15,16x17,18x19,20x22	1.151	20
12	6x7,8x9,10x11,12x13,14x15,16x17,18x19,20x22,	2.798	8
	21x23,24x27,25x28,30x32		

● Sets Customized As Per Clients Specifications

BI-HEXAGONAL RING SPANNER DEEP OFFSET

ELLIPTICAL FULLY POLISHED **DIN 838** CHROME VANADIUM STEEL



NICKEL CHROME PLATED

SIZE MM	WT./Kg	Pcs./Ctn.
6 x 7	0.050	400
8 x 9	0.070	300
10 x 11	0.090	240
12 x 13	0.125	200
14 x 15	0.150	160
16 x 17	0.170	120
18 x 19	0.210	80
20 x 22	0.305	80
21 x 23	0.325	60
24 x 27	0.395	60
25 x 28	0.425	40
30 x 32	0.560	40
8x10	0.070	400
10x12	0.090	240
12x14	0.125	200
13x17	0.175	120
14x17	0.175	120
17x19	0.210	80
19x22	0.305	80
22x24	0.325	60
24x26	0.395	60
27x32	0.560	40



SATIN FINISH



DIP INSULATED

BUYER BRANDING

Standard Sets Metric Sizes			
Set/Pcs.	Sizes	WT./Kg	Set/Ctn.
6	6x7-16x17	0.655	40
8	6x7-20x22	1.170	20
12	6x7-30x32	2.875	10

● Sets Customized As Per Clients Specifications

BI-HEXAGONAL RING SPANNER DEEP OFFSET

PRESSED PANEL (COLD STAMPED) **DIN 838** Chrome Vanadium Steel





SATIN FINISH

SIZE MM	WT./Kg	Pcs./Ctn.
6 x 7	0.050	400
8 x 9	0.070	300
10 x 11	0.090	240
12 x 13	0.125	200
14 x 15	0.150	160
16 x 17	0.170	120
18 x 19	0.210	80
20 x 22	0.305	80
21 x 23	0.325	60
24 x 27	0.395	60
25 x 28	0.425	40
30 x 32	0.560	40
8x10	0.070	400
10x12	0.090	240
12x14	0.125	200
13x17	0.175	120
14x17	0.175	120
17x19	0.210	80
19x22	0.305	80
22x24	0.325	60
24x26	0.395	60
27x32	0.560	40

STAMP DESIGN'S



Standard Sets Metric Sizes			
Set/Pcs.	Sizes	WT./Kg	Set/Ctn.
6	6x7-16x17	0.655	40
8	6x7-20x22	1.170	20
12	6x7-30x32	2.875	10

- Sets Customized As Per Clients Specifications

BUYER BRANDING

OPEN END SLOGGING SPANNERS

DIN 133

Chrome Vanadium Steel



SIZE MM	WT./Kg	Pcs./Ctn.
24	0.355	80
27	0.406	60
30	0.548	50
32	0.508	50
36	0.713	30
41	0.968	25
46	1.320	20
50	1.726	15
55	2.283	12
60	2.740	10
65	3.350	8
70	4.000	5
75	5.340	5
80	6.100	4
85	6.200	4
90	8.133	3
95	8.233	3
100	13.35	2
105	13.100	2
110	13.100	2
115	17.400	2

SLOGGING RING SPANNERS

Chrome Vanadium Steel



SIZE MM	WT./Kg	Pcs./Ctn.
22	0.164	100
24	0.254	100
27	0.355	80
30	0.406	60
32	0.473	60
36	0.756	60
41	0.858	50
46	1.063	30
50	1.268	25
55	1.590	10
60	1.675	16
65	2.236	15
70	2.640	10
75	3.400	8
80	3.850	8
85	4.266	6
90	5.766	6
95	5.833	3
100	5.833	3
105	8.633	3
110	8.633	3
115	8.633	3

COMBINATION OPEN & BOX END SPANNERS

JUMBO SPANNER

Chrome Vanadium Steel



- Hardened and tempered.
- Each Head Set at 15° Angle.
- Chrome Plated
- **Meets & Exceeds DIN & A.N.S.I. Standards**

SAE METRIC BUYER BRANDING

SIZE MM	SIZE SAE	LENGTH MM	Pcs./Ctn.
33		460	20
34		460	20
36		495	10
38		495	10
41		530	10
46		595	10
50		625	6
55		650	6
60		670	6

FOUR WAY WHEEL SPANNERS

RE-INFORCED & NORMAL

- Drop Forged from High Carbon Steel.
- Induction Hardened & Tempered.
- Chrome Plated, Fully Polished.
- Available in Chrome Finish / Epoxy Coating / Zinc Coating / Golden Chrome Finish / Satin Finish.
- Available with Plastic Display Card and without Card.



SOCKET SIZES MM	LENGTH MM	THICKNESS MM	WEIGHT GMS.	Pcs./Ctn.
17x19x21x23	325	13	900	25
17x19x21x23	350	14	1100	20
17x19x21x23	375	15	1330	20
17x19x21x23	400	16	1600	15
17x19x21x23	500	20	2600	10

TWO WAY WHEEL SPANNERS

WITH TOMMY BAR

- Drop Forged from EN-8 Grade Steel.
- Fully Induction Hardened.
- Chrome Plated.
- Fully Polished.
- Available in Chrome Finish / Epoxy Grey Finish / Phosphating & Zinc Coated.




SIZES	
MM	SAE
24x27	15/16x1-1/16
27x27	1-1/16x1-1/16
27x30	1-1/16x1-3/16
27x32	1-1/16x1-1/4
27x33	1-1/16x1-5/16
30x30	1-3/16x1-3/16
30x33	1-3/16x1-1/4
33x33	1-3/16x1-5/16
21x41	1-5/16x1-5/16
21x38	-
TOMMY BAR Rod - 19mm x 400 mm	

L - T Y P E W H E E L S P A N N E R S

WITH OR WITHOUT LEVER END

- Drop Forged from High Carbon Steel.
- Induction Hardened & Tempered.
- Chrome Plated.
- Available in Chrome Finish / Epoxy Black Coated Finish.




SOCKET SIZES MM	LENGTH MM	THICKNEESS MM	WEIGHT KG / PC
13	325	13	0.440
14	350	14	0.430
17	350	14	0.450
19	350	14	0.450
21	350	14	0.450
23	350	14	0.500

- Sizes Customized As Per Clients Specifications

L - T Y P E W H E E L S P A N N E R S

BOTH SIDE SOCKET

- Drop Forged from High Carbon Steel.
- Sockets Induction Hardened & Tempered.
- Chrome Plated.
- Available in Chrome Finish / Black Powder Coated Finish.



SOCKET SIZES MM	LENGTH MM	THICKNEESS MM	WEIGHT KG / PC
13	325	13	0.440
14	350	14	0.430
17	350	14	0.450
19	350	14	0.450
21	350	14	0.450
23	350	14	0.500

- Sizes Customized As Per Clients Specifications

SLIP JOINT PLIER

- Drop Forged from Carbon Steel.
- Induction Hardened & Tempered.
- With Dip Insulation and without Dip Insulation. Available in Chrome and Black Finished.



SIZE		
MM	SAE	Pcs./Ctn.
150	6	120
200	8	100
250	10	60

WATER PUMP PLIER

CHANNEL TYPE

- Drop Forged from Carbon Steel.
- Induction Hardened with sleeves.
- Chrome Plated or Epoxy Coated Finish.
- With Machined Grooves



With sleeve and without sleeve

SIZE		
MM	SAE	Pcs./Ctn.
200	8	60
250	10	48
300	12	36

WATER PUMP PLIER

BOX JOINT

- Drop Forged from Carbon Steel.
- Induction Hardened with sleeves.
- Chrome Plated or Epoxy Coated Finish.



With sleeve and without sleeve

SIZE		
MM	SAE	Pcs./Ctn.
200	8	60
250	10	48
300	12	36

WATER PUMP PLIER

SLIP JOINT

- Drop Forged from Carbon Steel.
- Induction Hardened & Tempered.
- Powder Coated or Chrome Plated.



SIZE		
MM	SAE	Pcs./Ctn.
200	8	60
250	10	48
300	12	36

TOWER PINCER (GERMANY TYPE)



Size/mm	Size/Inch	Pcs./Ctn.
8	200	100
9	225	80
10	250	60
11	275	40
12	300	40

TOWER PINCER (HEAVY DUTY)

- Drop Forged from Chrome Vanadium Steel.
- Induction Hardened & Tempered.
- Lacquer coating to prevent from Rust.
- Available in Powder Coating and Nickle.
- Manufactured as per DIN ISO Standards.



Size/mm	Size/Inch	Pcs./Ctn.
8	200	100
9	225	80
10	250	60
11	275	40
12	300	40

STERLING EXPERT

COBLER PINCER PLIER

- Drop Forged from Carbon Steel.
- Fully Hardened & Tempered.
- Lacquer coating to prevent from Rust.
- Available in Powder Coating and Nickle
- Chrome Finish.



SIZE		
MM	SAE	Pcs./Ctn.
150	6	96
175	7	72
200	8	60

ADJUSTABLE WRENCH PLIER

- Drop Forged from Carbon Steel.
- Duly Hardened.
- Epoxy powder coated / Nickle Plated.



SIZE		
MM	SAE	Pcs./Ctn.
150	6	48
200	8	36
250	10	24
300	12	18
350	15	12
450	18	12

COBLER PINCER PLIER

- Drop Forged from Carbon Steel.
- Induction Hardened & Tempered.
- Lacquer coating to prevent from Rust.
- Available in Powder Coating.



SIZE		
MM	SAE	Pcs./Ctn.
150	6	96
175	7	72
200	8	60

TOP CUTTER PLIER

- Drop Forged from Carbon Steel.
- Duly Hardened.
- Lacquer Coating to prevent from Rust.
- Available with or without Sleeve / Painted.
- Head Polished.



SIZE		
MM	SAE	Pcs./Ctn.
180	7	60
200	8	60
225	9	60

CARPENTER PINCER PLIER

- Drop Forged from Carbon Steel.
- Duly Hardened.
- Lacquer Coating to prevent from Rust.
- Available with or without Sleeve / Painted.
- Head Polished.



SIZE		
MM	SAE	Pcs./Ctn.
150	6	96
175	7	72
200	8	60

COMBINATION PLIER

- Drop Forged from Carbon Steel.
- Fully Hardened & Tempered.
- Polished Head.



SIZE		
MM	SAE	Pcs./Ctn.
150	6	120
175	7	100
200	8	60

LONG NOSE PLIER

- Drop Forged from Carbon Steel.
- Duly Hardened & Tempered.
- Polished Chrome Plated with Sleeve according to Buyers requirement.



SIZE		
MM	SAE	Pcs./Ctn.
150	6	120
175	7	96
200	8	60

SIDE CUTTING PLIER

- Drop Forged from Carbon Steel.
- Hardened & Tempered.
- Available in Chrome Plated, Mirror Polish, Polish Finish, Black Finish.



SIZE		
MM	SAE	Pcs./Ctn.
150	6	120
175	7	100
200	8	60



GREASE GUN LEVER TYPE

- Sheet Fabricated
- Epoxy Coated
- Lever with PVC Grip

Capacity OZ	Capacity CC
10	300
15	420



BUCKET GREASE PUMP

- Pump body with cast head and Solid Steel Pump Chamber

CAPACITY
5 Kgs.
10 Kgs.
15 Kgs.
20 Kgs.





OIL CAN WESCO TYPE

- Sheet Fabricated
- Epoxy Coated
- Pump made of Brass

Size Pint	Capacity CC
1/4	125
1/2	250
3/4	375
1	500
1.1/2	750
2	1000



OIL CAN PERFETTO TYPE

- Sheet Fabricated
- Epoxy Coated
- Pump made of Brass

Capacity CC
200
300
400
500
700
1000





SUCTION GUN

- Best for Oil based filled, Heating Oil, Motor Oil.
- Low and Heavy Viscosity Oil
- Sheet Metal Body and Head

CAPACITY
15 OZ



HAND OPERATED ROTARY PUMP

- Head of barrel pump is made from cast iron
- Available with Rigid pipe or Telescopic pipe
- Pump is Fitted with non returnable valve

Size Inch	Size mm
3/4	20
1	25

PACKING



Set of 14 Pcs.



Set of 18 Pcs.



Set of 25 Pcs.



Set of 11 Pcs.



Set of 12 Pcs.



Auth. Dealer/Stockist

STERLING CAST & FORGE

AN ISO 9001 : 2008 CERTIFIED CO.

ADDRESS : Plot No. 7 Shiv Puri road, Basti Danishmandan, Jalandhar - 144007 (PUNJAB) INDIA

TEL : +91-981 55 00192, +91-181-5084196

E-MAIL : sales@sterlingtools.co.in mail.scf@gmail.com

WEB : www.sterlingtools.co.in

STAY CONNECTED